

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		455/466.ccl.s	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:57
L1	3617	\$4phone and (different near3 message near3 types)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L2	1231	L1 and (message with channel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L3	124	L1 and (message with (transmission near2 channel))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L4	152	\$4phone and (different near3 message near3 types).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L5	3	L3 and L4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L6	12	\$4phone and (message near3 type) and (common near2 editor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41

L7	9	\$4phone and (message near3 type) and (common near2 editor) and sav\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L8	2210	455/412.1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L9	776	379/93.01.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L10	3617	\$4phone and (different near3 message near3 types)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L11	1231	L10 and (message with channel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L12	124	L10 and (message with (transmission near2 channel))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L13	152	\$4phone and (different near3 message near3 types).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L14	3	L12 and L13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41

L15	12	\$4phone and (message near3 type) and (common near2 editor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L16	9	\$4phone and (message near3 type) and (common near2 editor) and sav\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L17	2210	455/412.1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L18	776	379/93.01.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L19	31	automatic\$4 with select\$4 with (sms and (ems mms))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/19 18:41
L20	68	automatic\$4 near3 select\$4 near4 (type protocol) near4 message	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/19 18:41
L21	15	L20 and (sms ems mms)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/19 18:41
L22	0	(electronic with messaging).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41

L23	3604	(electronic with messaging).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L24	18399	(electronic with messag\$3).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L25	10	L24 and (sav\$3 with (type format) with (message data) with (select \$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L26	18399	(electronic with messag\$3).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L27	396	L26 and ((type format) near3 (message data) with (select\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L28	211	L26 and ((type format) near3 (message data) near3 (select\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L29	9	L26 and ((type format) near3 (message data) near3 (select\$3)) same sav\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L30	127	L28 and (sms mms email)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41

L31	7	L28 and (sms and mms and email)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L32	13	L28 and (sms and mms)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L33	0	L32 not L30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L34	6	L32 not L31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L35	708	L26 and (sms and mms)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L36	11	L35 and ((type format protocol) near3 (message) near3 (select\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L37	183	\$4phone with sav \$4 with (sms ems mms)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L38	9	\$4phone with sav \$4 with (sms ems mms) with format	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41

L39	10	\$4phone.ab. and (sav\$4 with (sms ems mms) with format)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L40	6	L39 not L38	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L41	78	\$4phone.ab. and (select\$4 with (sms ems mms) with format)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L42	76	L41 not (L38 L39)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L43	8	\$4phone.ab. and (select\$4 with (sms ems mms) with format) and sms and ems and mms	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L44	4	\$4phone.ab. and (select\$4 with (message near2 type) with (sms and ems and mms))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L45	0	\$4phone. and (select\$4 with (message near2 type) with (sms and ems and mms))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L46	5	\$4phone and (select\$4 with (message near2 type) with (sms and ems and mms))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41

L47	1701	\$4phone and (select\$4 with (message near2 type)) and (sms ems mms smtp email)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L48	160	\$4phone and ((user subscriber) with select\$4 with (message near2 type) with (display menu)) and (sms ems mms smtp email)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L49	14	\$4phone and ((user subscriber) with select\$4 with (message near2 type) with (display menu)) and (sms and ems and mms)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L50	33	\$4phone and ((user subscriber) with select\$4 with (message near2 type)) and (sms and ems and mms)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L51	19	L50 not L49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L52	2156	(user subscriber) with select\$3 with (message transmission) with format	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L53	1384	(user subscriber) with select\$3 with message with format	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41

L54	447	L53 and (mms ems sms)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L55	248	(user subscriber) near4 select\$3 near4 message near4 format	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L56	135	L55 and (message near2 type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L57	13	L55 and (message near2 type).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L58	462	"unified messaging".ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L59	7	L58 and ((user subscriber) with sav \$3 with message) and ((select\$3 choos\$3 pick\$3) with menu)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L60	0	"enter a message then selct the emssage type"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L61	0	"enter a message then selct the message type"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41

L62	0	"enter a message then select the message type"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L63	92	enter\$3 with text with select\$3 with message with type	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L64	92	enter\$3 with text with select\$3 with message with type	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:41
L65	4109	455/466.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/19 18:57
S1	2780	\$4phone and (different near3 message near3 types)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/25 13:21
S2	971	S1 and (message with channel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/25 13:22
S3	109	S1 and (message with (transmission near2 channel))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/25 13:22
S4	117	\$4phone and (different near3 message near3 types).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/25 13:23

S5	2	S3 and S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/25 13:23
S6	12	\$4phone and (message near3 type) and (common near2 editor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/25 13:39
S7	9	\$4phone and (message near3 type) and (common near2 editor) and sav\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/25 13:43
S8	1707	455/412.1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/25 13:48
S9	634	379/93.01.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/25 13:48
S10	2979	\$4phone and (different near3 message near3 types)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/29 20:12
S11	1048	S10 and (message with channel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/29 20:12
S12	115	S10 and (message with (transmission near2 channel))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/29 20:12

S13	127	\$4phone and (different near3 message near3 types).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/29 20:12
S14	2	S12 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/29 20:12
S15	12	\$4phone and (message near3 type) and (common near2 editor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/29 20:12
S16	9	\$4phone and (message near3 type) and (common near2 editor) and sav\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/29 20:12
S17	1834	455/412.1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/29 20:12
S18	682	379/93.01.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/29 20:12
S19	18	automatic\$4 with select\$4 with (sms and (ems mms))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/29 20:42
S20	58	automatic\$4 near3 select\$4 near4 (type protocol) near4 message	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/29 20:50

S21	11	S20 and (sms ems mms)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/29 20:51
S22	0	(electronic with messaging).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 16:44
S23	3061	(electronic with messaging).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 16:44
S24	16083	(electronic with messag\$3).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 16:45
S25	7	S24 and (sav\$3 with (type format) with (message data) with (select \$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 16:45
S26	16083	(electronic with messag\$3).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/18 08:41
S27	346	S26 and ((type format) near3 (message data) with (select\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/18 08:41
S28	185	S26 and ((type format) near3 (message data) near3 (select\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/18 08:42

S29	9	S26 and ((type format) near3 (message data) near3 (select\$3)) same sav\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/18 08:42
S30	110	S28 and (sms mms email)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/18 08:43
S31	5	S28 and (sms and mms and email)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/18 08:43
S32	8	S28 and (sms and mms)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/18 08:44
S33	0	S32 not S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/18 08:44
S34	3	S32 not S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/18 08:44
S35	551	S26 and (sms and mms)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/18 08:46
S36	6	S35 and ((type format protocol) near3 (message) near3 (select\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/18 08:47

S37	177	\$4phone with sav \$4 with (sms ems mms)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/08 03:20
S38	9	\$4phone with sav \$4 with (sms ems mms) with format	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/08 03:20
S39	10	\$4phone.ab. and (sav\$4 with (sms ems mms) with format)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/08 03:22
S40	6	S39 not S38	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/08 03:22
S41	67	\$4phone.ab. and (select\$4 with (sms ems mms) with format)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/08 03:24
S42	65	S41 not (S38 S39)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/08 03:24
S43	7	\$4phone.ab. and (select\$4 with (sms ems mms) with format) and sms and ems and mms	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/08 03:29
S44	3	\$4phone.ab. and (select\$4 with (message near2 type) with (sms and ems and mms))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/08 03:33

S45	0	\$4phone. and (select\$4 with (message near2 type) with (sms and ems and mms))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/08 03:33
S46	4	\$4phone and (select\$4 with (message near2 type) with (sms and ems and mms))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/08 03:33
S47	1619	\$4phone and (select\$4 with (message near2 type)) and (sms ems mms smtp email)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/08 03:35
S48	149	\$4phone and ((user subscriber) with select\$4 with (message near2 type) with (display menu)) and (sms ems mms smtp email)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/08 03:36
S49	12	\$4phone and ((user subscriber) with select\$4 with (message near2 type) with (display menu)) and (sms and ems and mms)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/08 03:37
S50	29	\$4phone and ((user subscriber) with select\$4 with (message near2 type)) and (sms and ems and mms)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/08 03:46
S51	17	S50 not S49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/08 03:46

S52	2063	(user subscriber) with select\$3 with (message transmission) with format	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/08 03:59
S53	1330	(user subscriber) with select\$3 with message with format	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/08 11:08
S54	420	S53 and (mms ems sms)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/08 11:09
S55	240	(user subscriber) near4 select\$3 near4 message near4 format	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/08 11:34
S56	130	S55 and (message near2 type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/08 11:39
S57	13	S55 and (message near2 type).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/08 11:39
S58	442	"unified messaging".ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/08 11:42
S59	7	S58 and ((user subscriber) with sav \$3 with message) and ((select\$3 choos\$3 pick\$3) with menu)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/08 11:46

S60	0	"enter a message then selct the emessage type"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/08 12:29
S61	0	"enter a message then selct the message type"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/08 12:29
S62	0	"enter a message then select the message type"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/08 12:38
S63	84	enter\$3 with text with select\$3 with message with type	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/08 12:39
S64	84	enter\$3 with text with select\$3 with message with type	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/11 12:24

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L66	1753	455/466.ccls.	USPAT; UPAD	OR	ON	2010/09/19 18:57
L67	6	SWERUP.in. and JAN.in.	USPAT; UPAD	OR	ON	2010/09/19 19:00
L68	2	67 and sms	USPAT; UPAD	OR	ON	2010/09/19 19:00

9/ 19/ 2010 7:15:38 PM

H:\EAST\Workspaces\10576474.wsp